

# Clinical study undertaken by Dr. J.F. Coulombié, in the Phenicia Clinical Centre, Marseilles

January - March 2008

NARL

chart M

This study was based on a 12 session series of 10 mn each **NARL** MS DELUXE and of 20 mn with TRIPLE

This study was undertaken in the Phenicia Clinical Centre in Marseilles. The Centre is specialized in the medecine of beauty and beauty surgery. The Centre contributed with its organization and its experience, to this study.

<http://www.clinique-phenicia.com/clinique-phenicia.php>

## **NARL** MS DE LUXE 10 mn in association with TRIPLE (muscle activation) 20 mn

Patient	Sex / Age	IMC	Treated Areas	Sessions	Umbilical cutaneous skin fold			Abdomen			
					Before	After	Result (cm)	%	Before	After	Result (cm)
1 AN	F 30	21	tummy	12	2,00	1,00	-1,00	-50%	57	51	-6
20 AS	F 36	24	tummy	12	3,20	2,00	-1,20	-37%	55	75	-10
17 AC	F 26	34	tummy	12	3,40	2,20	-1,20	-35%	55	58	-3
4 CG	F 49	27	tummy	12	5,60	3,40	-2,20	-39%	56	54	-2
14 VA	F 40	30	tummy	12	4,20	3,00	-0,40	-9%	51	57	-6
6 FE	F 52	27	tummy	12	4,20	3,60	-0,60	-14%	56	54	-2
27 FC	F 31	25	tummy	12	2,70	2,30	-0,40	-15%	55	55	-5
23 IJ	F 32	23	tummy	12	3,20	1,40	-1,80	-56%	55	54	-1
19 PA	F 50	26	tummy	12	4,60	3,20	-1,40	-30%	54	57	-3
9 PF	F 54	24	tummy	12	3,60	2,80	-0,80	-22%	56	57	-1
12 SA	F 58	34	tummy	12	3,60	3,20	-0,40	-11%	51	57	-6
15 MB	F 32	34	tummy	12	4,40	3,50	-0,90	-20%	52	52	-7
15 MB	F 32	36	jodhpurs	12					125	120	-5
25 BM	F 27	22	jodhpurs	6					106	98	-8
2 BC	M 50	31	tummy	12	2,60	2,00	-0,60	-23%	110	101	-9
18 LB	M 50	30	tummy	12	4,60	3,60	-1,20	-25%	105	105	-3
7 MP	M 49	32	tummy	12	4,20	4,20	0,00	0%	119	114	-5

Results Average abdominal slimming - 6 cm

Loss on umbilical cutaneous skin fold -26,00%



**NARL** MS DELUXE